




# **Panel A** 2000mm (w) x 2250mm (h)



outer edge of the bleed (indicated by black line / stroke).

All images must be converted to CMYK and be embedded in your PDF.

4

5

6

All images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to outlines - no live copy to remain.

Please delete 'Instruction' and 'Guide' layers and supply as a flattened print-ready PDF file. Θ

The overall size of this template is 510 (w) x 572.5 (h) mm and includes bleed



Product Graphic Area: 1940 (w) x 2290 (h) mm



## Panel B 850mm (w) x 2250mm (h)

### **ARTWORK** CHECKLIST

Please follow the steps below before submitting print ready artwork files.

> Create artwork on the 'Artwork' Layer in CMYK mode only. Leave other layers as they are and do not delete.

Keep critical artwork (images, logos, copy or text) within white 'safe' area.

Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke). All images must be converted to CMYK and be The overall size of embedded in your PDF. this template is 222.8 (w) x 572.5 (h) mm and includes bleed All images used on this 5 template must have a minimum resolution of 300dpi. All fonts must be converted to 6 outlines - no live copy to remain. Please delete 'Instruction' and 'Guide' layers and supply as a flattened print-ready PDF file. **Product Graphic Area:** 890 (w) x 2290 (h) mm



This template is supplied at 25% of finished size -DO NOT RESIZE

3mm

This template includes 3mm bleed (black line / stroke)





## **Panel C** 850mm (w) x 2250mm (h)

### ARTWORK CHECKLIST

Please follow the steps below before submitting print ready artwork files.

Create artwork on the 'Artwork' Layer in CMYK mode only. Leave other layers as they are and do not delete.

Keep critical artwork (images, logos, copy or text) within white 'safe' area.

Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).



This template is supplied at 25% of finished size -<u>DO NOT RESIZE</u>

3mm

This template includes 3mm bleed (black line / stroke)



All images must be converted to CMYK and be embedded in your PDF.


All images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to outlines - no live copy to remain.

6

Please delete 'Instruction' and 'Guide' layers and supply as a flattened print-ready PDF file. Θ

The overall size of this template is 222.8 (w) x 572.5 (h) mm and includes bleed



**Product Graphic Area:** 890 (w) x 2290 (h) mm



# **Panel D** 1000mm (w) x 2250mm (h)

### ARTWORK CHECKLIST

Please follow the steps below before submitting print ready artwork files.

4

5

6

Create artwork on the 'Artwork' Layer in CMYK mode only. Leave other layers as they are and do not delete.

Keep critical artwork (images, logos, copy or text) within white 'safe' area.

Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).



This template is supplied at 25% of finished size -<u>DO NOT RESIZE</u>



This template includes 3mm bleed (black line / stroke)



All images must be converted to CMYK and be embedded in your PDF.

All images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to outlines - no live copy to remain.

Please delete 'Instruction' and 'Guide' layers and supply as a flattened print-ready PDF file. The overall size of this template is 260 (w) x 572.5 (h) mm and includes bleed



Product Graphic Area: 1040 (w) x 2290 (h) mm



# **Panel E** 1000mm (w) x 2250mm (h)

### ARTWORK CHECKLIST

Please follow the steps below before submitting print ready artwork files.

4

5

6

Create artwork on the 'Artwork' Layer in CMYK mode only. Leave other layers as they are and do not delete.

Keep critical artwork (images, logos, copy or text) within white 'safe' area.

Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).



This template is supplied at 25% of finished size -<u>DO NOT RESIZE</u>



This template includes 3mm bleed (black line / stroke)



All images must be converted to CMYK and be embedded in your PDF.

All images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to outlines - no live copy to remain.

Please delete 'Instruction' and 'Guide' layers and supply as a flattened print-ready PDF file. The overall size of this template is 260 (w) x 572.5 (h) mm and includes bleed



Product Graphic Area: 1040 (w) x 2290 (h) mm



# **Panel F** 850mm (w) x 2250mm (h)

### ARTWORK CHECKLIST

Please follow the steps below before submitting print ready artwork files.

Create artwork on the 'Artwork' Layer in CMYK mode only. Leave other layers as they are and do not delete.

Keep critical artwork (images, logos, copy or text) within white 'safe' area.

Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).



This template is supplied at 25% of finished size -<u>DO NOT RESIZE</u>

3mm

This template includes 3mm bleed (black line / stroke)



All images must be converted to CMYK and be embedded in your PDF.


All images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to outlines - no live copy to remain.

6

Please delete 'Instruction' and 'Guide' layers and supply as a flattened print-ready PDF file. Θ

The overall size of this template is 222.8 (w) x 572.5 (h) mm and includes bleed



**Product Graphic Area:** 890 (w) x 2290 (h) mm



## **Panel G** 850mm (w) x 2250mm (h)

### ARTWORK CHECKLIST

Please follow the steps below before submitting print ready artwork files.

Create artwork on the 'Artwork' Layer in CMYK mode only. Leave other layers as they are and do not delete.

Keep critical artwork (images, logos, copy or text) within white 'safe' area.

Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).



This template is supplied at 25% of finished size -<u>DO NOT RESIZE</u>

3mm

This template includes 3mm bleed (black line / stroke)



All images must be converted to CMYK and be embedded in your PDF.


All images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to outlines - no live copy to remain.

6

Please delete 'Instruction' and 'Guide' layers and supply as a flattened print-ready PDF file. Θ


The overall size of this template is 222.8 (w) x 572.5 (h) mm and includes bleed



**Product Graphic Area:** 890 (w) x 2290 (h) mm



# Panel H 2000mm (w) x 2250mm (h)



outer edge of the bleed (indicated by black line / stroke).

All images must be converted to CMYK and be embedded in your PDF.

4

5

6

All images used on this template must have a minimum resolution of 300dpi.

All fonts must be converted to outlines - no live copy to remain.

Please delete 'Instruction' and 'Guide' layers and supply as a flattened print-ready PDF file. Θ

The overall size of this template is 510 (w) x 572.5 (h) mm and includes bleed



Product Graphic Area: 1940 (w) x 2290 (h) mm